




Scan this QR code for
product information, videos,
and assembly assistance.

HEAVY-DUTY TRIPLE MONITOR MOUNT WITH GAS SPRING ARMS



HAVE QUESTIONS?

Monday - Friday from 5:00am - 5:00pm PST



support@mount-it.com



(855) 925-5668



www.mount-it.com

Thank you for choosing Mount-It!

EN Read the entire instruction manual before you start installation and assembly. If you have any questions regarding any of the instructions or warnings, please contact Mount-It for assistance.

CAUTION: Use with products heavier than the rated weights indicated may result in instability causing possible injury.

- Please closely follow the assembly instructions. Improper installation may result in damage or serious personal injury.
- Safety gear and proper tools must be used. This product should only be installed by professionals.
- This product is designed to be installed on solid concrete walls, masonry walls or wood stud walls.
- Make sure that the supporting surface will safely support the combined weight of the equipment and all attached hardware and components.
- Use the mounting screws and nuts provided. NEVER TIGHTEN mounting screws.
- This product contains small items that could be a choking hazard if swallowed. Keep these items away from children.
- This product is intended for indoor use only. Do not use this product outdoors and/or in wet areas.

IMPORTANT: Ensure that you have received all parts according to the component checklist prior to installation. If any parts are missing or faulty, contact Mount-It for a replacement.

MAINTENANCE: Check that the product is secure and safe to use at regular intervals (at least every three months).

DE Lesen Sie die gesamte Bedienungsanleitung, bevor Sie mit der Installation und Montage beginnen. Wenn Sie Fragen zur Anleitung oder Warnungen haben, wenden Sie sich bitte an Ihren Händler.

VORSICHT: Die Verwendung mit Produkten, die schwerer als die angegebenen Nenngewichte sind, kann zu Instabilität führen und zu möglichen Verletzungen führen.

- Bitte befolgen Sie die Montageanleitung genau. Eine unsachgemäße Installation kann zu Schäden oder schweren Verletzungen führen.
- Sicherheitsausrüstung und geeignete Werkzeuge müssen verwendet werden. Dieses Produkt sollte nur von Fachleuten installiert werden.
- Dieses Produkt ist auf massiven Betonwänden oder Mauerwerkswänden zu montieren.
- Stellen Sie sicher, dass die Aufhängesurface das Gesamtgewicht des Geräts und aller angeschlossenen Hardware und Komponenten sicher trägt.
- Verwenden Sie die mitgelieferten Befestigungsschrauben und die Befestigungsschrauben NICHT ZU FEST ANZIEHEN.
- Dieses Produkt enthält Kleinteile, die beim Verschlucken eine Erstickungsgefahr darstellen können. Halten Sie diese Gegenstände von Kindern fern.
- Dieses Produkt ist nur für den Innenbereich bestimmt. Die Verwendung dieses Produkts im Freien kann zu Produktabwracken und Verletzungen führen.

WICHTIG: Stellen Sie vor der Installation sicher, dass Sie alle Teile gemäß der Komponente-Checkliste erhalten haben. Bei beschädigten oder fehlenden Teilen, wenden Sie sich an Ihren Verkaufsstelle, um Ersatz zu erhalten.

WARTUNG: Überprüfen Sie das Produkt in regelmäßigen Abständen auf Sicherheit und Stabilität (am besten alle drei Monate).

FR Lire entièrement le guide d'utilisateur avant de commencer l'installation et la montage. Si vous avez des questions concernant les instructions ou les avertissements, veuillez contacter votre distributeur local pour une assistance.

ATTENTION: L'utilisation de produits plus lourds que les poids nominaux indiqués peut entraîner une instabilité causant des blessures potentielles.

- Les supports doivent être joints comme spécifié dans les instructions de montage. Une mauvaise installation peut entraîner des dommages ou de graves blessures aux personnes.
- Un équipement de sécurité et les outils appropriés doivent être utilisés. Ce produit devrait être installé uniquement par des professionnels.
- Ce produit est conçu pour être installé sur des murs avec profils en bois, des murs en béton massif ou murs en brique.
- Assurez-vous que la surface de soutien supporte en sécurité le poids combiné de l'équipement et de tous les matériaux et composants associés.
- Utilisez les vis de montage fournies et NE SERREZ PAS TROP les vis de montage.
- Ce produit contient de petites pièces qui peuvent causer un étouffement si elles sont avalées. Éloignez ces pièces des enfants.
- Ce produit est prévu uniquement pour une utilisation à l'intérieur. L'utilisation de ce produit à l'extérieur peut entraîner une dégradation du produit ou des blessures aux personnes.

IMPORTANT: Avant l'installation, assurez-vous que vous avez reçu toutes les pièces selon la liste de vérification des composants. Si une pièce est manquante ou endommagée, contactez votre distributeur local pour qu'il la remplace.

MAINTENANCE: À intervalles réguliers (au moins tous les trois mois) vérifiez que le support est d'utilisation sûre et stable.

RU Тщательно прочтите и будьте осторожны при установке. Если у Вас возникли какие-либо вопросы относительно инструкции или предупреждений, обратитесь в Вашем местном распространителе для получения помощи.

Внимание: Использование продукта, вес которого превышает указанный номинальный вес, может привести к неустойчивости и возможным травмам.

- Строго соблюдайте инструкции по установке и монтажу. Неправильная установка может привести к повреждению оборудования.
- Необходимо использовать профессиональные инструменты и специализированные инструменты. Продукт должен устанавливаться только профессионалами.
- Продукт предназначен для установки на прочные бетонные стены, кирпичные стены или деревянные стены.
- Убедитесь, что поверхность поддержки выдержит вес всего установленного оборудования и комплектации.
- Необходимо использовать крепежные винты, указанные в комплекте поставки, и НЕ ПЕРЕТЯГИВАЙТЕ винты.
- Данный продукт содержит небольшие детали, которые представляют опасность удушья при проглатывании. Такие детали необходимо хранить в недоступном для детей месте.
- Данный продукт предназначен только для использования в помещении. Использование данного продукта на улице может привести к повреждению продукта и возможным травмам.

ВАЖНО: Проверьте наличие комплектации, чтобы Вы получили все детали в соответствии со списком комплектации. Если не хватает каких-либо деталей или их количество не совпадает с Вашим списком распространителя, обратитесь к нему.

ТЕХНИЧЕСКОЕ ОБСЛУЖИВАНИЕ: Необходимо регулярно проверять (как минимум, раз в три месяца), чтобы конструкция была надежной, и не использовалась без должной фиксации.

ES Lea todo el manual de instrucciones antes de comenzar la instalación y montaje de la unidad. Si tiene alguna inquietud con respecto a las instrucciones o advertencias, comuníquese con su distribuidor local.

PRECAUCIÓN: utilizar con productos de mayor peso al indicado en los límites de peso por el fabricante ocasionará inestabilidad y posibles lesiones personales.

- Lea estrictamente todas las instrucciones de instalación y montaje. Una incorrecta instalación podría ocasionar daños a la unidad y lesiones personales.
- Utilice las herramientas y equipo de seguridad adecuados. Este producto solo debe ser instalado por profesionales.
- Este producto está diseñado para ser instalado en muros verticales de concreto sólido o de bloques.
- Asegúrese de que la superficie de soporte soportará en seguridad el peso total del equipo y todos sus componentes y hardware.
- Utilice los tornillos de montaje suministrados y NO ajuste demasiado tensos a los tornillos.
- Este producto contiene piezas pequeñas que representan un riesgo si se tragan. Mantenga estas piezas fuera del alcance de los niños.
- Este producto está diseñado para ser usado en interiores solamente. Utilizar este producto en exteriores podría ocasionar daños a la unidad y lesiones personales.

IMPORTANTE: Asegúrese de que haya recibido todas las piezas según la lista de verificación de componentes para la instalación. Si falta alguna de las partes, o está dañada, comuníquese con su distribuidor.

MAINTENIMIENTO: Compruebe periódicamente que el soporte está asegurado y listo para usar (al menos cada tres meses).

PT Leia todo o manual de instruções antes de iniciar a instalação e montagem. Se você tiver alguma dúvida sobre qualquer uma das instruções ou avisos, por favor, entre em contato com o seu distribuidor local para obter assistência.


ATENÇÃO: O uso com produtos mais pesados do que os pesos indicados pode resultar em instabilidade, causando possíveis danos.

- Os suportes devem ser anexados como especificado nas instruções de montagem. A instalação incorreta pode causar danos ao sistema e lesões pessoais.
- Equipamentos de segurança e ferramentas adequadas devem ser utilizadas. Este produto só deve ser instalado por profissionais.
- Este produto é projetado para ser instalado em paredes verticais de concreto sólido ou de tijolos.
- Certifique-se de que a superfície de suporte suportará com segurança o peso combinado do equipamento e todos os itens e componentes associados.
- Use os parafusos de montagem fornecidos e NÃO APERTAR EXCESSIVAMENTE os mesmos.
- Este produto contém pequenas peças que podem causar asfixia se ingeridas. Mantenha essas peças longe do alcance de crianças.
- Este produto destina-se somente para uso interno. Usá-lo em ambiente externo pode causar falhas no produto e lesões pessoais.

IMPORTANTE: Asegure-se que você recebeu todas as peças, de acordo com a lista de componentes, antes da instalação. Se alguma peça estiver faltando ou estiver danificada, contate o seu distribuidor local para substituição.

MANUTENÇÃO: Certifique-se que o suporte seja seguro e protegido para o uso em intervalos regulares (pelo menos a cada três meses).

Mount and Accessories




Check carefully to make sure there are no missing or defective parts. Some hardware provided may not be used. Use the correct mounting hardware suitable for your installation.

CHOKING HAZARD. Package includes small parts. Not for children under 3 years. Adult supervision is required.

Missing Parts? Call us at (855) 925-5668 and we will ship replacement parts free of charge.

DIMENSIONS & WEIGHT CAPACITY







Rated weight capacity is 35lbs/16kgs for stacked top monitor, and 19.8lbs/9kgs for each side-by-side monitor.

Caution: Ensure all mounting surfaces are capable of holding the weight of your mount. DO NOT EXCEED MAXIMUM LISTED WEIGHT CAPACITY. SERIOUS INJURY OR PROPERTY DAMAGE MAY OCCUR!

Step 1a

Clamp Installation for 10-85mm thickness desks



- Connect Clamp L-Bracket (#G) to the Base (#F) using Bolts (#R) and tighten until secure.
- Peel off the backing from Adhesive Pad (#L) and stick it onto the installed Clamp L-Bracket as shown.
- Partially install the Clamp Bolts (#S) to the Clamp Screw Assembly (#I), then place the Clamping Plate (#K) onto the tips of the bolts.



Step 1b

Grommet Installation for 10-48mm thickness desks & $\phi 10$ -60mm installation holes


- Connect Grommet Plate (#J) to the Base (#F) using Bolts (#R) and tighten until secure.
- Peel off the backing from Adhesive Pad (#L) and stick it onto the installed Grommet Plate as shown.
- Insert one of the Grommet Bolts (#S) through the center of the Clamping Plate (#K).
- Place the Base (#F) over the grommet hole, and attach the grommet bolt and clamping plate from underneath the desk and tighten until secure.



Step 2

Install the Pole


- Twist the threaded end of the Pole (#A) into the Base until it is fully tightened, then tighten the set screws on the base. Place the Cable Management Clip (#M) onto the pole.



Step 3

Remove the Upper Collars



- Loosen the set screws on both collars. Slide the lower collar up or down the pole to the desired height, then retighten. Remove the upper collar.



Step 4

Install the Lower Arms



- Slide the Lower Arm (#B) onto the pole until it rests on the collar, then partially tighten the set screw.
- Slide the middle collar back onto the pole, adjust it to the desired height, then tighten the set screws. Install the next Lower Arm (#B) onto this collar. Repeat this for the upper arm.



Step 5

Assemble the Arms


- Partially tighten the set screws after connecting each arm segment.
- Place the Middle Arms (#D) onto the ends of the two lower arms.
- Place the Center Spring Arm (#C) onto the end of the top arm.
- Place the Outer Spring Arms (#N) onto the ends of the two lower arms.



Step 6

Outer VESA Head Adjustments

- On the Outer VESA Heads (#O) loosen the thumb knob on the bottom of the sliding bracket and center the VESA heads.
- Remove the thumb knob on the back of the head to release and remove the VESA plate.
- Straighten out the joint so that the front of the VESA head and the sliding bracket are parallel.




Step 7

Connect the VESA Heads to the Spring Arms

- Place the Outer VESA Heads (#O) on the ends of the outer arms, then partially tighten the set screws.
- Connect the Center VESA Head (#E) to the end of the Spring Arm using the Connecting Washer (#P) and Connecting Bolt (#Q). Tighten until secure using the Hex Wrench (#U).

Note: Ensure the Washer is oriented so that the hexagonal interior end is facing upwards, as illustrated here.


- Remove the thumb knob from the back of the Center VESA Head (#E), pull the bottom of the VESA Plate on the front away then up to remove it.



Step 8

Attach the VESA Plates to the Monitors



- Select the appropriate size mounting bolt (#M-A, M-B) for your monitors mounting holes and verify the length of the VESA bolt is not too long. If you are unsure of the correct bolt size for your display refer to your monitor user manual or contact the monitor manufacturer for sizing information.
- Install the VESA Plate onto the back of the monitor using the selected Bolts (#M-A or M-B) and Washers (#M-C) and ensure that the arrow on the plate is pointing up to the top of the monitor.



Step 9

Hang the Monitors on the Arms


- Hang the monitors onto the end of the mount arms and reinstall the thumb knobs to secure them to the arms.



Step 10

Weight Balancing the Gas Spring Arm

• Gas Spring tension may need to be adjusted to suit the weight of the monitors. To weight balance the spring arm, begin by pushing the arm down to the lowered position, then use the 6mm Hex Wrench (#U) to adjust the bolt, turning counterclockwise toward the + (plus) sign for heavier monitors, increasing the tension and clockwise toward the – (minus) sign for lighter monitors, lowering the tension. Adjust until the arm does not raise back to the highest position or sink to the lowest position when released. This might require multiple rotations to reach the desired tension.



To properly balance the arm with monitor mounted, adjust the spring tension using the supplied Allen Key as follows:

First, position and firmly hold the arm horizontally as shown. Ask for assistance should you require it.



CAUTION: To avoid damage to monitor or mount, always keep the arm in a horizontal position while making adjustments. Again, ask for assistance if required.



If the arm **drops**, turn the adjustment screw counter-clockwise until it stays in a horizontal position.



If the arm **rises**, turn the adjustment screw clockwise until it stays in a horizontal position.




CAUTION: DO NOT over tighten the screws.

Step 11

Cable Management

- Remove the cable management covers by sliding them up parallel to the arms, then pull them away. Route cables and reinstall the removed covers and install the Cable Management Covers to the spring arms.
- Attach the Clamp Cover (#H) to the rear of the clamp to utilize the cable management clips and to store the Hex Wrenches.




Step 12




Final Adjustments

- To adjust the tilt angle of your screen, tilt the screen to your desired viewing angle. If the screen does not stay in that position after adjustment, tighten the bolts on the side of the joint shown here using the 6mm Hex Wrench (#U).
- The screen can be swiveled side to side for the optimal viewing angle and may be rotated 360°.
- The outer arms can be adjusted side to side by loosening the thumb knob underneath the sliding brackets. Move them into position then tighten the knobs again.
- The Hex Wrenches can be stored in the Clamp Cover.

Note: If the display does not stop at your desired position, adjust the screws using the tools as shown.



Note: If the display does not stop at your desired position, adjust the screws using the Allen Key as shown.



Visit us at **www.mount-it.com** for product registration and warranty information.

Our US based customer service team is standing by to answer any questions you have about your Mount-It! product.



support@mount-it.com

Available by phone **Monday - Friday from 5:00am to 5:00pm** PST.



(855) 925-5668

Chat live with an agent on our website!



www.mount-it.com