




Scan this QR code for
product information, videos,
and assembly assistance.

Dual Monitor Mount with RGB Lighting



HAVE QUESTIONS?

Monday - Friday from 5:00am - 5:00pm PST



support@mount-it.com



(855) 925-5668




www.mount-it.com

Thank you for choosing Mount-It!

- EN** Read the entire instruction manual before you start installation and assembly. If you have any questions regarding any of the instructions or warnings, please contact Mount-It for assistance.
- CAUTION:** Use with products heavier than the rated weights indicated may result in instability causing possible injury.
- Please closely follow the assembly instructions. Improper installation may result in damage or serious personal injury.
 - Safety gear and proper tools must be used. This product should only be installed by professionals.
 - This product is designed to be installed on solid concrete walls, masonry walls or wood stud walls.
 - Make sure that the supporting surface will safely support the combined weight of the equipment and all attached hardware and components.
 - Use the mounting screws to be installed in the MOUNTING mounting screw.
 - This product contains small items that could be a choking hazard if swallowed. Keep these items away from children.
 - This product is intended for indoor use only. Using this product outdoors could result in personal injury.
- IMPORTANT:** Ensure that you have received all parts according to the component checklist prior to installation. If any parts are missing or faulty, contact Mount-It for a replacement.
- MAINTENANCE:** Check that the product is secure and safe to use at regular intervals (at least every three months).
- DE** Lesen Sie die gesamte Bedienungsanleitung, bevor Sie mit der Installation und Montage beginnen. Wenn Sie Fragen zur Anleitung oder Warnungen haben, wenden Sie sich bitte an Ihren Händler.
- VORSICHT:** Die Verwendung mit Produkten, die schwerer als die angegebenen Nenngewichte sind, kann zu Instabilität führen und zu möglichen Verletzungen führen.
- Bitte befolgen Sie die Montageanleitung genau. Eine unsachgemäße Installation kann zu Schäden oder schweren Verletzungen führen.
 - Sicherheitsausrüstung und geeignete Werkzeuge müssen verwendet werden. Dieses Produkt sollte nur von Fachleuten installiert werden.
 - Dieses Produkt ist auf massiven Betonwänden oder Mauerwerkswänden zu montieren.
 - Stellen Sie sicher, dass die Aufhängeweise des Geräts und aller angeschlossenen Hardware und Komponenten sicher trägt.
 - Verwenden Sie die mitgelieferten Befestigungsschrauben und die Befestigungsschrauben NICHT ZU FEST ANZIEHEN.
 - Dieses Produkt enthält Kleinteile, die beim Verschlucken eine Erstickungsgefahr darstellen können. Halten Sie diese Gegenstände von Kindern fern.
 - Dieses Produkt ist nur für den Innenbereich bestimmt. Die Verwendung dieses Produkts im Freien kann zu Produktanfällen und Verletzungen führen.
- WICHTIG:** Stellen Sie vor der Installation sicher, dass Sie alle Teile gemäß der Komponente-Checkliste erhalten haben. Bei beschädigten oder fehlenden Teilen, wenden Sie sich an Ihren Verkaufsstell, um Ersatz zu erhalten.
- WARTUNG:** Überprüfen Sie das Produkt in regelmäßigen Abständen auf Sicherheit und Stabilität (am besten alle drei Monate).
- FR** Lire attentivement le guide d'utilisation avant de commencer l'installation et le montage. Si vous avez des questions concernant les instructions ou les avertissements, veuillez contacter votre distributeur local pour une assistance.
- ATTENTION:** L'utilisation de produits plus lourds que les poids maximaux indiqués peut entraîner une instabilité causant des blessures potentielles.
- Les supports doivent être joints comme spécifié dans les instructions de montage. Une mauvaise installation peut entraîner des dommages ou de graves blessures aux personnes.
 - Un équipement de sécurité et les outils appropriés doivent être utilisés. Ce produit devrait être installé uniquement par des professionnels.
 - Ce produit est conçu pour être installé sur des murs avec profils en bois, des murs en béton massif ou murs en brique.
 - Assurez-vous que la surface de soutien supporte en sécurité le poids combiné de l'équipement et de tous les matériaux et composants associés.
 - Utilisez les vis de montage fournies et NE SERREZ PAS TROP les vis de montage.
 - Ce produit contient de petites pièces qui peuvent causer un étouffement si elles sont avalées. Éloignez ces pièces des enfants.
 - Ce produit est prévu uniquement pour une utilisation à l'intérieur. L'utilisation de ce produit à l'extérieur peut entraîner une défaillance du produit ou des blessures aux personnes.
- IMPORTANT:** Avant l'installation, assurez-vous que vous avez reçu toutes les pièces selon la liste de vérification des composants. Si une pièce est manquante ou endommagée, téléphonez à votre distributeur local pour qu'il la remplace.
- MAINTENANCE:** A intervalles réguliers (au moins tous les trois mois) vérifiez que le support est d'utilisation sûre et stable.
- RU** Тщательно прочтите и будьте внимательны при установке и сборке. Если у вас возникли какие-либо вопросы относительно инструкции или предупреждений, обратитесь в ваш местный дистрибуторский центр для получения помощи.
- Внимание:** Использование продукта, вес которого превышает указанный максимальный вес, может привести к неустойчивости и возможным травмам.
- Всегда строго следуйте инструкциям, прилагаемым к вашему продукту. Неправильная установка может привести к повреждению или серьезным травмам.
 - Необходимо использовать профессиональные инструменты и соблюдать все меры безопасности. Этот продукт должен устанавливаться только профессионалами.
 - Этот продукт предназначен для установки на прочные бетонные стены, кирпичные стены или деревянные стены.
 - Убедитесь, что несущая поверхность выдержит вес вашего установленного оборудования и комплектующих.
 - Необходимо использовать прилагаемые винты, а также не затягивать винты слишком сильно.
 - Данный продукт содержит небольшие детали, которые представляют опасность удушья при проглатывании. Такие детали необходимо хранить в недоступном для детей месте.
 - Данный продукт предназначен только для использования в помещении. Использование данного продукта на улице может привести к повреждению продукта и травмам.
- ВАЖНО:** Перед установкой убедитесь, что вы получили все детали в соответствии со списком комплектующих. Если не хватает каких-либо деталей или они повреждены, свяжитесь с вашим местным дистрибуторским центром для замены.
- ТЕХНИЧЕСКОЕ ОБСЛУЖИВАНИЕ:** Необходимо регулярно проверять (раз в три месяца), чтобы убедиться, что оборудование было установлено, и не использовалось без должной осторожности.
- ES** Lea todo el manual de instrucciones antes de comenzar la instalación y ensamblaje de la unidad. Si tiene alguna inquietud con respecto a las instrucciones o advertencias, comuníquese con su distribuidor local.
- PRECAUCIÓN:** Usar productos de mayor peso al indicado en los límites de peso podría ocasionar inestabilidad y posibles lesiones personales.
- Lea cuidadosamente todas las instrucciones de ensamblaje. Una incorrecta instalación podría ocasionar daños a la unidad y lesiones personales.
 - Utilice los herramientas y equipo de seguridad adecuados. Este producto solo debe ser instalado por profesionales.
 - Este producto está diseñado para ser instalado en paredes de concreto sólido o de bloques.
 - Asegúrese de que la superficie de soporte soportará con seguridad el peso total del equipo y todos sus componentes y hardware.
 - Utilice los tornillos de montaje suministrados y NO ajuste demasiado fuerte a los tornillos.
 - Este producto contiene piezas pequeñas que representan un riesgo si se las traga. Mantenga estas piezas fuera del alcance de los niños.
 - Este producto está diseñado para usarse únicamente en interiores. Utilizar este producto en exteriores podría ocasionar fallas en el producto o lesiones personales.
- IMPORTANTE:** Asegúrese de que haya recibido todas las piezas según la lista de verificación de componentes para la instalación. Si falta alguna de las partes, o está dañada, comuníquese con su distribuidor.
- MAINTENIMIENTO:** Compruebe periódicamente que el soporte está asegurado y listo para usar (al menos cada tres meses).
- PT** Leia todo o manual de instruções antes de iniciar a instalação e montagem. Se você tiver alguma dúvida sobre qualquer uma das instruções ou avisos, por favor, entre em contato com o distribuidor local para assistência.
- ATENÇÃO:** O uso com produtos mais pesados do que os pesos indicados pode resultar em instabilidade, causando possíveis danos.
- Os suportes devem ser anexados como especificado nas instruções de montagem. A instalação incorreta pode causar danos ou até mesmo lesões pessoais.
 - Equipamentos de segurança e ferramentas adequadas devem ser utilizados. Este produto só deve ser instalado por profissionais.
 - Este produto é projetado para ser instalado em paredes verticais de concreto sólido ou de tijolos.
 - Certifique-se de que a superfície de suporte suportará com segurança o peso combinado do equipamento e todos os materiais e componentes associados.
 - Use os parafusos de montagem fornecidos e NÃO APERTE EXCESSIVAMENTE os parafusos.
 - Este produto contém pequenas peças que podem causar asfixia se ingeridas. Mantenha essas peças longe do alcance de crianças.
 - Este produto destina-se somente para uso interno. Usá-lo em ambiente externo pode causar falhas no produto e lesões pessoais.
- IMPORTANTE:** Asegure-se de você recebeu todas as peças, de acordo com a lista de componentes, antes de instalação. Se alguma peça estiver faltando ou é defeituosa, contate o seu distribuidor local para substituição.
- MANTENÇÃO:** Certifique-se que o suporte seja seguro e protegido para o uso em intervalos regulares (pelo menos a cada três meses).

Mount and Accessories




Check carefully to make sure there are no missing or defective parts. Some hardware provided may not be used. Use the correct mounting hardware suitable for your installation.

CHOKING HAZARD, Package includes small parts.
Not for children under 3 years. Adult supervision is required.

Missing Parts? Call us at (855) 925-5668 and we will ship replacement parts free of charge.

DIMENSIONS & WEIGHT CAPACITY



Rated weight capacity is 4.4-26.4lbs/2-12kgs for the mount



Caution:

Ensure all mounting surfaces are capable of holding the weight of your mount.
DO NOT EXCEED MAXIMUM LISTED WEIGHT CAPACITY. SERIOUS INJURY OR PROPERTY DAMAGE MAY OCCUR!

Step 1a

Clamp Installation – Desk Thickness 0.4"-3.0"

- Attach the Clamp Back Plate (#F) to the underside of the Mount Base (#A) using the M6x10 Screws (#P-C). Tighten the screws with the 3-4mm Hex Wrench (#K).
- Loosen the Clamp Handle (#E) to its widest position, then attach it to the Clamp Back Plate (#F) using the M6x10 Bolts (#P-B). Select the correct mounting holes based on your desk thickness.
- Slide the assembled clamp onto the edge of the desk. Tighten the clamp until the mount is secure.




Step 1b

Grommet Installation – Desk Thickness 0.4"-3.1"

- Slide the M8x105 Grommet Bolt (#I) through the square hole on the Grommet Plate (#G), making sure the recessed bolt holes on the Grommet Plate (#G) face downward in the same direction as the M8x105 Grommet Bolt (#I).
- Attach the Grommet Plate (#G) to the underside of the Mount Base (#A) using the M6x10 Screws (#P-C). Tighten the screws with the 3-4mm Hex Wrench (#K).
- Using the 5mm Hex Wrench (#L), remove the screw from the end of the Clamp Handle (#E) and take off the oval clamping plate.
- Place the Mount Base (#A) over the grommet hole on the desktop. From the underside of the desk, slide the oval clamping plate onto the M8x105 Grommet Bolt (#I), then thread the M8 Nut (#P-D) onto the bolt.
- Tighten the M8 Nut (#P-D) using the 10-13mm Wrench (#J) until the Mount Base (#A) is secure.

Ø0.4"-2.3" (10-60mm) grommet hole required.




Step 2

Attach the Spring Arm

- Place the Spring Arm (#B) onto the end of the lower arm attached to the Mount Base (#A), making sure it is fully seated on the post.
- Using the 3-4mm Hex Wrench (#K), partially tighten the set screw to secure the Spring Arm (#B) to the lower arm.

•Note: Loosen the set screw slightly if you encounter resistance when attaching the Spring Arm (#B).




Step 3a

Attach the VESA Head - Unfolded

- Remove the thumb knob from the back of the VESA Head (#C).
- Lift the VESA plate away and upward to remove it from the VESA Head (#C).
- Set the thumb knob aside for reinstallation in a later step.
- Slide the VESA Head into position at the end of the Spring Arm (#B).
- Secure the bracket to the Spring Arm (#B) using the M8x30 Bolt (#P-A). Tighten the bolt with the 5mm Hex Wrench (#L) until secure.

VESA PLATE IN UNFOLDED POSITION





Step 3b

Attach the VESA Head - Folded

- Remove the thumb knob from the back of the VESA Head (#C).
- Lift the VESA plate away and upward to remove it from the VESA Head (#C).
- Set the thumb knob aside for reinstallation in a later step.
- Slide the VESA Head into position at the end of the Spring Arm (#B).
- Secure the bracket to the Spring Arm (#B) using the M8x30 Bolt (#P-A). Tighten the bolt with the 5mm Hex Wrench (#L) until secure. Pull the front of the bracket up and rotate it to face forward.


VESA PLATE IN FOLDED POSITION



Step 4

Attach the VESA Plate to the Monitor

•Select the appropriate size mounting bolts (#M-A) and washers (#M-B) for your monitor's mounting holes and verify the length of the VESA bolt is not too long. If you are unsure of the correct bolt size for your display refer to your monitor user manual or contact the monitor manufacturer for sizing information.
 •Install the VESA plate onto the back of the monitor using the selected M4x12 Bolts (#M-A) and D5 Washers (#M-B) and ensure that the arrow on the plate is pointing up to the top of the monitor.




Step 5

Attaching the Monitor

•Hang the monitor on the end of the VESA Head by hooking the top of the plate back onto the end of the arm, and then lower it down into position. Reinstall the thumb screw to secure it in place.

⚠ CAUTION

DO NOT release the monitor immediately after hanging and wait until you are sure it is stable in its position to prevent injury to personnel or equipment. If the arm rises or falls, refer to the next step for adjustment.



Step 6

Weight Balancing the Gas Spring Arm

•Gas Spring tension may need to be adjusted to suit the weight of the monitors. To weight balance the two gas spring arms, begin by pushing the arm down to the lowered position, then use 6mm Hex Wrench (#M) to adjust the nut as pictured above, turning counterclockwise toward the + (plus) sign for heavier monitors, increasing the tension and clockwise toward the - (minus) sign for lighter monitors, lowering the tension. Adjust until the arm does not raise back to the highest position or sink to the lowest position when released. This might require multiple rotations to reach the desired tension.

•After the tension adjustment is complete, place the Magnetic Cap (#H) over the joint to cover the adjustment location.

Tension adjustment requires 2 operators.

one holds the upper arm horizontally, the other adjusts the tension screw using a Hex wrench until the monitor stays in place when released.

Adjust the screw until the monitor can remain stable at any position - neither rising nor falling.



If the monitor **rises**, turn the screw toward (-) direction to decrease the tension.
 If the monitor **drops**, turn the screw toward (+) direction to increase the tension.

⚠ WARNING

Keep hands away from moving joints during use.

⚠ CAUTION

DO NOT over-tighten or over-loosen the screw, as this may cause damage.




Step 7


Route the Cables

- Remove the interior pieces from the Cable Covers (#D), then route the monitor cables through the covers.
- Reinstall the interior pieces into the Cable Covers, making sure the cables are seated properly inside.
- Slide the Cable Covers into place on the underside of the arms.

Note: Ensure sufficient slack in cable between the covers to prevent power or signal interruption from excessive tension during monitor movement.




Note: If the display does not stop at your desired position, adjust the screws using the tools as shown.



CAUTION

DO NOT rotate the monitor past rear edge of desk to avoid an unstable situation that may cause tipping.




Button Function of Lighting:

1. On/Off: Press and hold it for 3 seconds
2. Light Mode Switch: Quick press to the next light mode (17 modes in total)
3. Press the button twice to switch signal modes.
(The product supports connection with PCs running Windows 11 or later versions to enable lighting control via its "Dynamic Lighting" feature.)

Memory Setting:

The system automatically saves the lighting mode from the last shutdown.

Note: This product is compatible with computer/laptop USB ports and DC5V/2A adapters.



Visit us at **www.mount-it.com** for product registration and warranty information.

Our US based customer service team is standing by to answer any questions you have about your Mount-It! product.



support@mount-it.com

Available by phone **Monday - Friday from 5:00am to 5:00pm** PST.



(855) 925-5668

Chat live with an agent on our website!



www.mount-it.com