


MOUNT-IT!

Installation Manual

SKU: MI-3771B_G10

SKU: MI-3771W_G10

V1 01/25



Scan this QR code for
product information, videos,
and assembly assistance.

TABLET COUNTERTOP STAND



HAVE QUESTIONS?

Monday - Friday from 5:00am - 5:00pm PST



support@mount-it.com



(855) 925-5668



www.mount-it.com

Thank you for choosing Mount-It!

EN Read the entire instruction manual before you start installation and assembly. If you have any questions regarding any of the instructions or warnings, please contact Mount-It! for assistance.

CAUTION: Use with products heavier than the rated weights indicated may result in instability causing possible injury.

- Please closely follow the assembly instructions. Improper installation may result in damage or serious personal injury.
- Safety gear and proper tools must be used. This product should only be installed by professionals.
- This product is designed to be installed on solid concrete walls, masonry walls or wood stud walls.
- Make sure that the supporting surface will safely support the combined weight of the equipment and all attached hardware and components.
- Use the mounting screws provided and DO NOT OVER TIGHTEN mounting screws.
- This product contains small items that could be a choking hazard if swallowed. Keep these items away from children.
- This product is intended for indoor use only. Using this product outdoors could lead to product failure and personal injury.

IMPORTANT: Ensure that you have received all parts according to the component checklist prior to installation. If any parts are missing or faulty, contact Mount-It! for a replacement.

MAINTENANCE: Check that the product is secure and safe to use at regular intervals (at least every three months).

DE Lesen Sie die gesamte Bedienungsanleitung, bevor Sie mit der Installation und Montage beginnen. Wenn Sie Fragen zur Anleitung oder der Warnungen haben, wenden Sie sich bitte an Ihren örtlichen Händler.

VORSICHT: Die Verwendung mit Produkten, die schwerer als die angegebenen Nenngewichte sind, kann zu Instabilität führen und zu möglichen Verletzungen führen. • Bitte befolgen Sie die Montageanleitung genau. Eine unsachgemäße Installation kann zu Schäden oder schweren Verletzungen führen.

- Sicherheitsausrüstung und geeignete Werkzeuge müssen verwendet werden. Dieses Produkt sollte nur von Fachleuten installiert werden.
- Dieses Produkt ist auf massiven Betonwänden oder Mauerwerkswänden zu montieren.
- Stellen Sie sicher, dass die Auflagefläche das Gesamtgewicht des Geräts und aller angeschlossenen Hardware und Komponenten sicher trägt.
- Verwenden Sie die mitgelieferten Befestigungsschrauben und die Befestigungsschrauben NICHT ZU FEST ANZIEHEN.
- Dieses Produkt enthält Kleinteile, die beim Verschlucken eine Erstickungsgefahr darstellen können. Halten Sie diese Gegenstände von Kindern fern.
- Dieses Produkt ist nur für den Innenbereich bestimmt. Die Verwendung dieses Produkts im Freien kann zu Produktversagen und Verletzungen führen.

WICHTIG: Stellen Sie vor der Installation sicher, dass Sie alle Teile gemäß der Komponenten-Checkliste erhalten haben. Bei beschädigten oder fehlenden Teilen, wenden Sie sich an Ihre Verkaufsstelle, um Ersatz zu erhalten.

WARTUNG: Überprüfen Sie das Produkt in regelmäßigen Abständen auf Sicherheit und Stabilität (am besten alle drei Monate).

FR Lisez entièrement le guide d'utilisation avant de commencer l'installation et le montage. Si vous avez des questions concernant les instructions ou les avertissements, veuillez contacter votre distributeur local pour une assistance.

ATTENTION: L'utilisation de produits plus lourds que les poids nominaux indiqués peut entraîner une instabilité causant des blessures potentielles.

- Les supports doivent être joints comme spécifié dans les instructions de montage. Une mauvaise installation peut entraîner des dommages ou de graves blessures aux personnes.

- Un équipement de sécurité et les outils appropriés doivent être utilisés. Ce produit devrait être installé uniquement par des professionnels.
- Ce produit est conçu pour être installé sur des murs avec poteaux en bois, des murs en béton massif ou murs en brique.
- Assurez-vous que la surface de soutien supporte le poids combiné de l'équipement et de tous les matériaux et composants associés.
- Utilisez les vis de montage fournies et NE SERREZ PAS TROP les vis de montage.

• Ce produit contient de petites pièces qui peuvent causer un étouffement si elles sont avalées. Éloignez ces pièces des enfants.

• Ce produit est prévu uniquement pour une utilisation à l'intérieur. L'utilisation de ce produit à l'extérieur peut entraîner une défaillance du produit ou des blessures aux personnes.

IMPORTANT: Avant l'installation, assurez-vous que vous avez reçu toutes les pièces selon la liste de vérification des composants. Si une pièce est manquante ou endommagée, téléphonez à votre distributeur local pour qu'il la remplace.

MAINTENANCE: A intervalles réguliers (au moins tous les trois mois) vérifiez que le support est d'utilisation sûre et fiable.

RU Перед началом установки и сборки прочитайте руководство по установке. Если у Вас возникли какие-либо вопросы относительно инструкций или предупреждений, свяжитесь с Вашим местным распространителем для получения помощи.

Внимание: Использование продуктов, вес которых превышает указанный расчетный вес, может привести к неустойчивости и возможным травмам.

- Опоры должны быть установлены, как это показано в монтажных инструкциях. Неправильная установка может привести к получению серьезных травм.
- Необходимо использовать предохранительное устройство и специальные инструменты. Продукт должен устанавливаться только профессионалами.
- Продукт предназначен для установки на деревянные каркасные стены, твердые цементные стены или кирпичные стены.
- Убедитесь, что несущая поверхность выдержит вес всего установленного оборудования и комплектующих.
- Необходимо использовать монтажные винты, входящие в комплект поставки, и НЕ ПЕРЕТЯГИВАТЬ монтажные винты.

• Данный продукт содержит мелкие детали, которые представляют опасность удушья при проглатывании. Такие детали необходимо хранить в недоступном для детей месте.

• Данный продукт предназначен только для эксплуатации в помещении. Использование данного продукта на улице может привести к поломке продукта и получению травм.

ВАЖНО: Перед установкой убедитесь, что Вы получили все детали в соответствии со списком комплектующих. Если не хватает каких-либо деталей или они поломаны, свяжитесь с Вашим местным распространителем по вопросу замены.

ТЕХНИЧЕСКОЕ ОБСЛУЖИВАНИЕ: Необходимо регулярно проверять (как минимум, раз в три месяца), чтобы кронштейн был зафиксирован, и его использование было безопасным.

ES Lea todo el manual de instrucciones antes de comenzar la instalación y ensamble de la unidad. Si tiene alguna inquietud con respecto a las instrucciones o advertencias, comuníquese con su distribuidor local.

PRECAUCIÓN: utilizar con productos de mayor peso al indicado en los límites de peso podría ocasionar inestabilidad y posibles heridas personales.

- Los soportes deben acoplarse tal como se indica en las instrucciones de ensamble. Una incorrecta instalación podría ocasionar daños y serias heridas personales.
- Utilice las herramientas y equipo de seguridad adecuados. Este producto solo debe ser instalado por profesionales.
- Este producto está diseñado para instalaciones en paredes de madera sólida, concreto sólido o bloques.

• Asegúrese de que la superficie de fijación sostenga de manera segura el peso total del equipo y todos sus componentes y hardware.

• Utilice los tornillos de ensamble suministrados y NO aplique demasiada tensión a los tornillos.

• Este producto contiene piezas pequeñas que representan un riesgo de asfixia. Mantenga estas piezas fuera del alcance de los niños.

• Este producto está diseñado para uso en interiores solamente. Utilizar este producto en exteriores podría ocasionar fallas y heridas personales.

IMPORTANTE: Asegúrese de que haya recibido todas las piezas según la lista de verificación de componentes para la instalación. Si falta alguna de las partes, o está dañada, comuníquese con su distribuidor.

MANTENIMIENTO: Compruebe periódicamente que el soporte esté asegurado y listo para usar (al menos cada tres meses).

PT Leia todo o manual de instruções antes de iniciar a instalação e montagem. Se você tiver alguma dúvida sobre quaisquer uma das instruções ou avisos, por favor, entre em contato com o seu distribuidor local para assistência.

ATENÇÃO: O uso com produtos mais pesados do que os pesos indicados pode resultar em instabilidade, causando possíveis danos.

• Os suportes devem ser anexados como especificado nas instruções de montagem. A instalação incorreta pode causar danos ou sérias lesões pessoais.

• Equipamentos de segurança e ferramentas adequadas devem ser utilizados. Este produto só deve ser instalado por profissionais.

• Este produto é projetado para ser instalado em pilares verticais de paredes de madeira, paredes de concreto sólido ou de tijolos.

• Certifique-se que a superfície de suporte suportará com segurança o peso combinado do equipamento e todas as ferragens e componentes anexados.

• Use os parafusos de montagem fornecidos e NÃO APERTE EXCESSIVAMENTE os mesmos.

• Este produto contém pequenas peças que podem causar asfixia se ingeridas. Mantenha essas peças longe do alcance de crianças.


• Este produto destina-se somente para uso interno. Usá-lo em ambiente externo pode causar falhas no produto e lesões pessoais.

IMPORTANTE: Assegure-se que você recebeu todas as peças, de acordo com a lista de componentes, antes da instalação. Se alguma peça estiver faltando ou é defeituosa, contate o seu distribuidor local para substituição.


MANUTENÇÃO: Certifique-se que o suporte seja seguro e protegido para o uso em intervalos regulares (pelo menos a cada três meses).




Mount and Accessories



A (x1)
Anti-Theft Tablet Case



B (x1)
Column



C (x1)
Base



D (x4)
Rubber pad



E (x1)
Decorative Cover



F (x4)
ST6.3x55



G (x4)
Concrete Anchor



H (x1)
Key



I (x4)
M5x6



J (x4)
M8x20



K (x1)
Low Profile Base



L (x1)
M8x45
Grommet Bolt



M (x1)
Grommet
Washer



N (x4)
Grommet
Washer



O (x4)
M5



P (x4)
M5x12



Q (x4)
M4x12



R (x4)
ST4.8x30



S (x4)
Concrete Anchor



T1 (x1)
Tablet Adapter 1



T2 (x1)
Tablet Adapter 2



T3 (x1)
Tablet Adapter 3



U (x1)
Wrench



V (x1)
4mm Hex Wrench



W (x1)
5mm Hex Wrench



X (x1)
Button Cover



Y (x2)
ST6.3x55




Z (x1)
Thumb Screw

Check carefully to make sure there are no missing or defective parts. Some hardware provided may not be used. Use the correct mounting hardware suitable for your installation.

CHOKING HAZARD. Package includes small parts.
Not for children under 3 years. Adult supervision is required.

Missing Parts? Call us at (855) 925-5668 and we will ship replacement parts free of charge.

DIMENSIONS & WEIGHT CAPACITY



Rated weight capacity is 2.2lbs for the mount.

Caution:

Ensure all mounting surfaces are capable of holding the weight of your mount.


DO NOT EXCEED MAXIMUM LISTED WEIGHT CAPACITY. SERIOUS INJURY OR PROPERTY DAMAGE MAY OCCUR!

Step 1

Step 1a-1

Standing Base Option


- Peel the backing off the Rubber Pads (#D) and place them near each corner of the Standing Base (#C). Place the pads on the bottom side which has the recessed indentations.



Step 1a-2

Attach the Base


- Slide the Decorative Cover (#E) onto the Column.
- Attach the Column (#B) to the Base (#C) using the Bolts (#J).
- Note: The smaller top plate on the Base (#C) may need to be rotated until the threaded holes are visible.**
- Turn the stand over and install the Thumb Screw (#Z) to the hole on the smaller plate. Leave the thumb screw slightly loosened to allow full rotation of the column, or tighten it to stop it in position.



Step 1a-3 Location and Use Options

A. Countertop Use


- The stand may be placed directly on a countertop or tabletop for use or can be secured following the instructions in the next steps.



B. Wood Surface Installation

- To secure the stand base to a wood surface use a 3/16" bit and drill holes to a depth of 2.2" and secure the stand base using 2x Lag Screws (#Y). Do not over tighten.


Note: Ensure the mounting surface is thick enough to accommodate the length of the Lag Screws.



C. Concrete Surface Installation

- To secure the stand base to a concrete surface, use a 3/8" Bit and drill holes to a depth of 2.4". Clear any dust and debris from the holes and insert 2x Concrete Anchors (#G). Secure the stand base using 2x Lag Screws (#Y). Do not over tighten.


Note: Ensure the mounting surface is thick enough to accommodate the length of the Lag Screws.



Step 1b-1

Low Profile Base Option

- Attach the Column (#B) to the Low Profile Base (#K) through the Decorative Cover (#E) using Bolts (#J) as shown.




Step 1b-2

A. Wood Surface Installation

- To secure the stand base to a wood surface, use a 3/16" bit and drill holes to a depth of 2.2" and secure the stand base using 4x Lag Screws (#F). Do not over tighten.


Note: Ensure the mounting surface is thick enough to accommodate the length of the Lag Screws.



B. Concrete Surface Installation

- To secure the stand base to a concrete surface, use a 3/8" Bit and drill holes to a depth of 2.4". Clear any dust and debris from the holes and insert 4x Concrete Anchors (#G). Secure the stand base using 4x Lag Screws (#F). Do not over tighten.


Note: Ensure the mounting surface is thick enough to accommodate the length of the Lag Screws.



C. Grommet Installation

- To install the stand to a desktop or tabletop through a grommet hole, place the mount over the hole and attach it from the bottom using Grommet Bolt (#L) and Grommet Washer (#M). If a grommet hole needs to be installed, use a 0.3-0.4" (8-10mm) drill bit to drill a hole in the desired location.



Note: The Bolt (#L) provided will only accommodate a surface thickness of ≤ 1.35 ".



Step 2

Open the Tablet Case




- To open the Tablet Case (#A) insert the Key (#H) and turn counterclockwise to unlock (clockwise to lock.)



Step 3

Attach the Tablet Case to the Column

- Attach the back half of the Tablet Case to the end of the column using Bolts (#I) through the 4 bolt holes on the interior of the Case in the orientation shown here.




- Optionally the tablet enclosure can be attached to a 75x75mm VESA mount. Attach the back half of the Tablet Case to the VESA mount using Bolts (#P), Washers (#N), and secured on the opposite end by Nuts (#O).

Step 4


Select the Tablet Adapter

- Select the Tablet Adapter (#T1, T2, T3) for your tablet (see the table below for compatibility) and attach it over the tablet inside the case using the 4 Bolts (#Q). Before fully tightening the bolts, center the tablet in the adapter if needed by squeezing the tabs on the clamps and adjusting them left or right.




Insert the Tablet

- Select the appropriate Tablet Adapter for your tablet by referencing the compatibility guide below.




T1: No home button access

iPad Pro (10.5"),
iPad Air (10.5"),
iPad 9(10.2"),
iPad 8(10.2"),
iPad 7(10.2")



T2: Home button access present


iPad Pro (10.5"),
iPad Air (10.5"),
iPad 9(10.2"),
iPad 8(10.2"),
iPad 7(10.2")



T3: Front facing camera cutout on the side

iPad Pro (11"),
iPad Air (10.9"),
iPad 10(10.9")


- Tablet Adapter (#T2) can be used with the preinstalled soft button cover to allow for the tablet home button to be pressed, or it may be removed and replaced with the hard Button Cover (#X) which will prevent the tablet home button from being pressed.



Step 5

Lock the Case

- Insert the key into the lock and turn the key clockwise to lock the case




Before locking the enclosure, confirm the camera is visible through the slot as shown.

Step 6

Viewing Angle Adjustment



- If the use of the tablet camera is required, ensure the camera is visible through the hole on the rear of the case.
- Adjust the viewing angle of the tablet by loosening the bolt shown here behind the tablet case using Hex Wrench (#V). Tilt the tablet to the desired viewing angle then tighten the bolt back down.



Step 7

Final Adjustments



- The tablet case can be rotated 90° to alternate between landscape and portrait orientation and can be tilted up to 75° forward for a variety of viewing angles. If attached to the Base (#C) the column can swivel 360°.



Optional Wall Mount Instructions

A. Concrete/Stone Installation Option – 4 Screws


- Using a bubble level to ensure a straight installation, hold the anti-theft case against the wall in the desired location and use a pencil to mark the wall through the 4 bolt holes in the case. Note: This may also be rotated 90° to install in landscape orientation.
 - Remove the case from the wall and drill holes in the marked locations using a 1/4" (6mm) drill bit to a depth of 1.3" (35mm). Insert Concrete Anchors (#S) into the holes.
 - Attach the tablet case to the wall using Lag Screws (#R) and tighten until secure. Do not over tighten.
- Note:** For a 2 screw installation option, follow the next step using a 1/4" drill bit and 1.3" drill depth, and the use of concrete anchors (#S).



B. Wood Stud Installation Option – 2 Screws

- Using a bubble level to ensure a straight installation, hold the anti-theft case against the wall in the desired location and use a pencil to mark the wall through the teardrop shaped bolt hole indicated here, and mark the middle of the horizontal slot below.
- Remove the case from the wall and drill holes in the marked locations using a 7/50" (3.5mm) drill bit to a depth of 1.2" (30mm).
- Install Lag Screw (#R) to the top hole only leaving a gap of approximately 1/4" between the wall and the bottom of the screw head.
- Hang the case onto the partially installed screw through the teardrop shaped hole. Slide the case down so that the screw is in the smaller end of the hole, check the level of the case again and install the lower lag screw.

Note: This installation option is compatible with concrete/stone surfaces using the same process but with a 1/4" drill bit and 1.3" drill depth.



Visit us at **www.mount-it.com** for product registration and warranty information.

Our US based customer service team is standing by to answer any questions you have about your Mount-It! product.



support@mount-it.com

Available by phone **Monday - Friday from 5:00am to 5:00pm** PST.



(855) 925-5668

Chat live with an agent on our website!



www.mount-it.com