




Ceiling TV Mount for Four TVs



MI-514




MOUNT-IT!

INSTALLATION INSTRUCTIONS



For installation assistance or questions, please contact us at support@mount-it.com or (858) 925 5668.


Dimensions (in mm)



CAUTION


The maximum loading weight is 66 lbs (30kg Per Screen). This mount is intended for use only with the maximum weights indicated. Use with products heavier than the maximum weights indicated may result in instability causing possible injury. The wall you plan to affix the MI-514 mount to must be also able to support more than 5 times the weight of the television and the mount combined. Do not use this product for any purpose other than to mount a VESA compliant TV on a vertical surface as outlined in this manual. Improper installation may cause damage to your TV or serious injury. This product should not be mounted on steel stud walls or cinder block walls. Consult a qualified installation contractor if you are unsure about the type of wall you may have.

Select TV Screws








The back of your TV has 4 screw holes in a square or rectangular pattern. This is where the mount will attach to your TV. Mount-IT provides several sizes and lengths of screws. This guide will help you select the right screws for your TV. You will only use 4 of the provided screws to attach your TV – the rest are not needed.





Required Tools







Parts list











A1 M5X15 X4	A2 M6X15 X4	A3 M8X15 X4	A4 Ø16XØ6.2X1.5 X4	X4		B1 M8X10 X16	B2 4mm&5mm X1(Each)	B3 6mm X1	B4 X1	B5 M6X8 X16	B6 M8 X16	X1	
C1 M8X70 X3	C2 Ø16XØ8.2X1.5 X6	C3 M8 X12	C4 Lag bolt X6	Ø16XØ8.2X1.5 X6		C5 Anchor X6	C6 M8x65 X9	C7 M6x85 X8	Ø13XØ6.2X1.5 X8		C8 M6 X8	X1	









D1	D2	D3	D4	D5
	 800mm	 680mm	 MI-515: 260-325mm (Min-Max) MI-514: 415-635mm (Min-Max)	
X1	X4	X4	X4	X3

D6	D7	D8	D9	D10	D11	D12
			 400T		 M5	
X4	X4	X1	X8	X1	X8	X8

Installation









22-a

Tilt 0°




22-b

Tilt 5°




22-c

Tilt 10°



22-d

Tilt 15°



23 Single screen

