




Scan this QR code for
product information, videos,
and assembly assistance.

MONITOR WALL MOUNT WITH LONG EXTENSION



HAVE QUESTIONS?

Monday - Friday from 5:00am - 5:00pm PST



support@mount-it.com



(855) 925-5668



www.mount-it.com

EN Read the entire installation manual before you start installation and assembly. If you have any questions regarding any of the instructions or warnings, please contact **Mount-it!** for assistance.

AUTON: Use with products heavier than the rated weights indicated may result in instability causing possible injury.

- Please closely follow the assembly instructions. Improper installation may result in damage and/or personal injury.
- The product should only be used as intended. This product should not be used for anything other than its intended purpose.
- The product is designed to be installed on solid concrete walls, masonry walls or wood stud walls.
- Make sure that the supporting surface will safely support the combined weight of the equipment and all attached hardware and components.
- Use the mounting screws provided. Do NOT OVERTIGHTEN.
- This product contains small items that could be a choking hazard if swallowed. Keep these items away from children.
- If you intend to use the product for anything other than its intended purpose, use this product outdoors or in a well-ventilated area.

IMPORTANT: Ensure that you have received all parts according to the component checklist prior to installation. If any parts are missing or faulty, contact **Mount-it!** for a replacement.

MAINTENANCE: Check that the product is secure and safe to use at regular intervals (at least every three months).

DE Lesen Sie die gesamte Bedienungsanleitung, bevor Sie die Installation und Montage beginnen. Wenn Sie Fragen zur Anleitung oder Warnungen haben, wenden Sie sich bitte an Ihren örtlichen Händler.

WICHTIG: Lesen Sie die folgenden Punkte, die schwächer als die angegebenen Nennwerte sind, kann zu Installationen führen, die zu möglichen Verletzungen führen.

Stellen Sie folgende Sie die Montageanleitung genau. Eine unsachgemäße Installation kann zu Schäden oder sonstigen Verletzungen führen.

Wichtige Informationen zur Installation: Lesen Sie die gesamte Bedienungsanleitung, bevor Sie mit der Installation beginnen. Lesen Sie die gesamte Bedienungsanleitung, bevor Sie mit der Installation beginnen.

Dieses Produkt ist auf massiven Betonwänden oder Mauerwerkswänden zu montieren.

Stellen Sie sicher, dass die Aufhängedübel das Gewicht des Geräts und aller angeschlossenen Kabeln und Komponenten sicher tragen.

Verwenden Sie die mitgelieferten Befestigungsmittel und Befestigungsmittel, die für das Produkt vorgesehen sind.

Dieses Produkt enthält Kompressen, die beim Versuchen eine Erstickungsgefahr darstellen können. Halten Sie diese Gegenstände von Kindern fern.

WICHTIG: Stellen Sie vor der Installation sicher, dass Sie alle Teile gemäß der Komponenten-Checkliste erhalten haben. Bei Beschädigungen oder fehlenden Teilen, wenden Sie sich an Ihren Verkaufsstell, um Ersatz zu erhalten.

WICHTIG: Überprüfen Sie die Installation regelmäßig auf Sicherheit und Stabilität (am besten alle drei Monate).

FR  Lisez entièrement le guide d'utilisateur avant de commencer l'installation et le montage. Si vous avez des questions concernant les instructions ou les avertissements, contactez votre revendeur local pour une assistance.

ATTENTION: L'utilisation de produits plus lourds que les poids nominatifs indiqués peut entraîner une instabilité causant des blessures potentielles.

- Les supports doivent être joints comme spécifié dans les instructions de montage. Une mauvaise installation peut entraîner des dommages ou de graves blessures aux personnes.
- Un ancrage de sécurité et les câbles ancones doivent être utilisés. Ce produit devrait être installé uniquement par des professionnels.

• Ce produit est conçu pour être installé sur des murs avec poteaux en bois, des murs en béton massif ou murs en brique.
• Assurez-vous que la surface de soutien supporte en sécurité le poids combiné de l'équipement et de tous les matériaux et composants associés.
• Utilisez les vis de montage fournies et NE SERREZ PAS TROP les vis de montage.
• Ce produit contient de petites pièces qui peuvent causer un étouffement si elles sont avalées. Éloignez ces pièces des enfants.

IMPORTANT : Avant l'installation, assurez-vous que vous avez reçu toutes les pièces selon la liste de vérification des composants. Si une pièce est manquante ou endommagée, téléphonez à votre distributeur local pour qu'il la remplace.

RU  Перед началом установки и сборки прочитайте руководство по установке. Если у Вас возникли какие-либо вопросы относительно инструкции или предостережений, свяжитесь с Вашим местным распространителем для получения помощи.

Внимание: Использование продуктов, вес которых превышает указанный расчетный вес, может привести к неустойчивости и возможным травмам.

- Опоры должны быть установлены, как это показано в инструкциях. Неправильная установка может привести к получению серьезных травм.
- Необходимо использовать предохранительное устройство и специальные инструменты. Продукт должен устанавливаться только профессионалами.
- Продукт предназначен для установки на деревянные каркасные стены, твердые цементные стены или кирпичные стены.

• Убедиться, что несущая поверхность выдержит вес всего установленного оборудования и комплектующих.

• Необходимо использовать монтажные винты, входящие в комплект поставки, и НЕ ПРЕДУГАИВАТЬ монтажные винты.

• Данный продукт содержит мелкие детали, которые представляют опасность удушья при проглатывании. Такие детали необходимо хранить в недоступности для детей.

• Данный продукт предназначен только для эксплуатации в помещении. Использование данного продукта на улице может привести к поломке продукта и получению травм.

ТЕХНИЧЕСКОЕ ОБСЛУЖИВАНИЕ: Необходимо регулярно проверять (как минимум, раз в три месяца), чтобы крошитель был зафиксирован, и его использование было безопасным.

PRECAUCIÓN: utilizar con productos de mayor peso al indicado en los límites de peso podría ocasionar inestabilidad y posibles heridas personales.

Los apornes deben aplicarse tal como indica en las instrucciones de ensamble. Una incorrecta instalación podría ocasionar daños y serias heridas personales.

- Utilice las herramientas y equipo de seguridad adecuados. Este producto solo debe ser instalado por profesionales.
- Este producto está diseñado para instalaciones en paredes de madera sólida, concreto sólido o bloques.
- Asegúrese de que la superficie de fijación sostenga de manera segura el peso total del equipo y de todos sus componentes y hardware.

IMPORTANTE: Asegúrese de que ha recibido todas las piezas según la lista de verificación de componentes para la instalación. Si falta alguna de las partes, o está dañada, comuníquese con el proveedor de la instalación.

MANTENIMENTO: Compruebe periódicamente que el soporte esté asegurado y listo para usar (al menos cada tres meses).

ATENÇÃO: O uso em produtos mais pesados do que os pesos indicados pode resultar em instabilidade, causando possíveis danos.

- Os suportes devem ser anexados como especificado nas instruções de montagem. A instalação incorreta pode causar danos ou sérias lesões pessoais.
- Equipamentos de segurança e ferramentas adequadas devem ser utilizados. Este produto só deve ser instalado por profissionais.

* Este produto é projetado para ser instalado em pilares verticais de paredes de madeira, paredes de concreto sólido ou de tijolos.
 * Certifique-se que a superfície de suporte suportará com segurança o peso combinado do equipamento e todas as ferragens e componentes anexados.
 * Use os parafusos de montagem fornecidos e NÃO APERTE EXCESSIVAMENTE os mesmos.
 * Este produto contém pequenas peças que podem causar asfixia se ingeridas. Mantenha esses itens longe do alcance de crianças.

IMPORTANTE: Assegure-se que você recebeu todas as peças, de acordo com a lista de componentes, antes da instalação. Se alguma peça estiver faltando ou é defeituosa, contate o distribuidor local para substituição.

1-20kg
(2.2-44.1lbs)

1-14kg
(2.2-30.8lbs)


 
 FLAT SCREEN CURVED SCREEN

The diagram illustrates various VESA mounting hardware components, labeled A through F:

- A (x1)** Wall Mount
- B (x1)** Spring Arm (Upper)
- C (x2)** Mount Arm (Lower)
- D (x1)** VESA Head
- E (x2)** VESA Extenders
- F (x2)** VESA Extenders
- G (x3)** Decorative Cover
- H (x1)** M5x1mm VESA Connector Bolt
- I (x1)** VESA Connector Washer
- J (x8)** M5x10mm Extender Bolts
- K (x8)** M6 Extender Nuts
- L (x1)** 3mm Hex Wrench
- M (x1)** 6mm Hex Wrench
- N (x1)** 10x13mm Wrench

CHOKING HAZARD. Package includes small parts.
Not for children under 3 years. Adult supervision is required.

DIMENSIONS & WEIGHT CAPACITY



Caution:



Ensure all mounting surfaces are capable of holding the weight of your mount.

DO NOT EXCEED MAXIMUM LISTED WEIGHT CAPACITY.
SERIOUS INJURY OR PROPERTY DAMAGE MAY OCCUR!

Step 1a

Wood Stud Mounting Option



- With a stud finder locate the stud and center the Wall Mount (#A) on the stud at the desired height.
- Using a bubble level to ensure straightness mark the center of the mounting holes with a pencil.
- Use a 3/16" drill bit and drill on the marked locations to a depth of 2.2". Secure the Wall Mount (#A) to the wall using the Lag Screws (#W-A) and Washers (#W-C). Tighten the screws until secure.
- Place the Decorative Covers (#G) onto the mount to cover the heads of the lag screws.



Step 1b

Concrete/Brick Mounting Option


- Using a bubble level to ensure straightness hold the Wall Mount (#A) to the desired location on the wall and mark the center of the mounting holes with a pencil.
- Use a 3/8" drill bit and drill on the marked locations to a depth of 2.4". Clear any dust and debris from the holes and insert the Concrete Anchors (#W-B). Secure the Spring Arm (#A) to the wall using Lag Screws (#W-A) and Washers (#W-C). Tighten the screws until secure.
- Place the Decorative Covers (#G) onto the mount to cover the heads of the lag screws.




Step 2

Assemble the Arm

- Insert the Mount Arm (#C) into the wall mount, then partially tighten the set screw so that the arm cannot be removed from the joint.




- Insert the next Mount Arm (#C) into the end of the arm, then partially tighten the set screw so that the arm cannot be removed from the joint.



Step 3

Assemble the Arm

- Insert the Spring Arm (#B) into the arm joint, then partially tighten the set screw so that the arm cannot be removed from the joint.




Step 4

Connect the VESA Head to the Spring Arm

- Connect the VESA Head (#D) to the end of the Spring Arm using VESA Connector Washer (#I) and VESA Connector Bolt (#H). Tighten until secure using the Hex Wrench (#X-2).

Note: Ensure the Washer is oriented so that the hexagonal interior end is facing upwards, as illustrated here.


- Remove the thumb screw from the back of the VESA Head, pull the bottom of the VESA Plate on the front away then up to remove it.



Step 5

Attach the VESA Plate to the Monitor




- Select the appropriate size mounting bolt (#M-A, M-B) for your monitor's mounting holes and verify the length of the VESA bolt is not too long. If you are unsure of the correct bolt size for your display refer to your monitor user manual or contact the monitor manufacturer for sizing information.
- Install the VESA Plate onto the back of the monitor using the selected Bolts (#M-A or M-B) and Washers (#M-C) and ensure that the arrow on the plate is pointing up to the top of the monitor.



Step 6

Attach the VESA Extenders – VESA > 100x100


- For VESA patterns greater than 100x100 attach the VESA Extenders (#E, #F) to the front of the VESA plate in one of the configurations shown here using the M6x10mm Extender Bolts (#J) and the M6 Extender Nuts (#K).



Step 7

Attaching the Monitor


- Hang the monitor on the end of the VESA Head by hooking the top of the plate back onto the end of the arm, and then lower it down into position. Reinstall the thumb screw to secure it in place.



Step 8

Weight Balancing the Gas Spring Arm

- Gas Spring tension may need to be adjusted to suit the weight of the monitors. To weight balance the two gas spring arms, begin by pushing the arm down to the lowered position, then use Hex Wrench (#X-2) to adjust the nut as pictured below, turning counterclockwise toward the + (plus) sign for heavier monitors, increasing the tension and clockwise toward the - (minus) sign for lighter monitors, lowering the tension. Adjust until the arm does not rise back to the highest position or sink to the lowest position when released. This might require multiple rotations to reach the desired tension.



To properly balance the arm with monitors mounted, adjust the spring tension using the supplied Allen Key as follows:

First, position and firmly hold the arm horizontally as shown. Ask for assistance should you require it.



CAUTION: To avoid damage to monitors or mount, always keep the arm in a horizontal position while making adjustments. Again, ask for assistance if required.



If the arm **drops**, turn the adjustment screw counter-clockwise until it stays in a horizontal position.



If the arm **rises**, turn the adjustment screw clockwise until it stays in a horizontal position.




CAUTION: Do NOT over tighten the screws.

Step 9

Cable Management




- Remove the cable management covers from the underside of the mount arms sliding the covers forward toward the VESA plate, then away from the arm. Run any cables beneath then reinstall the cable management cover.



Step 10

Final Adjustments

Note: If the screen does not stop at your desired position, tighten the bolts as shown.



Visit us at **www.mount-it.com** for product registration and warranty information.

Our US based customer service team is standing by to answer any questions you have about your Mount-It! product.

Available by phone **Monday - Friday from 5:00am to 5:00pm** PST.

Chat live with an agent on our website!



support@mount-it.com



(855) 925-5668



www.mount-it.com