
MOUNT-IT!

Installation Manual

SKU: MI-7919



Scan this QR code for product information, videos, and assembly assistance.

SIT-STAND WORKSTATION WALL MOUNT

HAVE QUESTIONS?

Monday - Friday from 8:00am - 4:00pm PST

support@mount-it.com (855) 925-5668 www.mount-it.com

Thank you for choosing Mount-It!

EN Read the entire instruction manual before you start installation and assembly. If you have any questions regarding any of the instructions or warnings, please contact Mount-It! for assistance.

⚠ **CAUTION:** Use with products heavier than the rated weights indicated may result in instability causing possible injury.
- Please closely follow the assembly instructions. Improper installation may result in damage or serious personal injury.
- Safety gear and proper tools must be used. This product should only be installed by professionals.
- This product is designed to be installed on solid concrete walls, masonry walls or wood stud walls.
- Make sure that the supporting surface will safely support the combined weight of the equipment and all attached hardware and components.
- Use the mounting screws provided and DO NOT OVER TIGHTEN mounting screws.
- This product contains small items that could be a choking hazard if swallowed. Keep these items away from children.
- This product is intended for indoor use only. Using this product outdoors could lead to product failure and personal injury.

IMPORTANT: Ensure that you have received all parts according to the component checklist prior to installation. If any parts are missing or faulty, contact Mount-It! for a replacement.

MAINTENANCE: Check that the product is secure and safe to use at regular intervals (at least every three months).

DE Lesen Sie die gesamte Bedienungsanleitung, bevor Sie mit der Installation und Montage beginnen. Wenn Sie Fragen zur Anleitung oder Warnungen haben, wenden Sie sich bitte an Ihren örtlichen Händler.

⚠ **VORSICHT:** Die Verwendung mit Produkten, die schwerer als die angegebenen Nenngewichte sind, kann zu Instabilität führen und zu möglichen Verletzungen führen.
- Bitte befolgen Sie die Montageanleitung genau. Eine unsachgemäße Installation kann zu Schäden oder schweren Verletzungen führen.
- Sicherheitsausrüstung und geeignete Werkzeuge müssen verwendet werden. Dieses Produkt sollte nur von Fachleuten installiert werden.
- Dieses Produkt ist auf massiven Betonwänden oder Mauerwerkswänden zu montieren.
- Stellen Sie sicher, dass die Auflagefläche das Gesamtgewicht des Geräts und aller angeschlossenen Hardware und Komponenten sicher trägt.
- Verwenden Sie die mitgelieferten Befestigungsschrauben und die Befestigungsschrauben NICHT ZU FEST ANZIEHEN.
- Dieses Produkt enthält Kleinteile, die beim Verschlucken eine Erstickungsgefahr darstellen können. Halten Sie diese Gegenstände von Kindern fern.
- Dieses Produkt ist nur für den Innenbereich bestimmt. Die Verwendung dieses Produkts im Freien kann zu Produktversagen und Verletzungen führen.

WICHTIG: Stellen Sie vor der Installation sicher, dass Sie alle Teile gemäß der Komponenten-Checkliste erhalten haben. Bei beschädigten oder fehlenden Teilen, wenden Sie sich an Ihre Verkaufsstelle, um Ersatz zu erhalten.

WARTUNG: Überprüfen Sie das Produkt in regelmäßigen Abständen auf Sicherheit und Stabilität (am besten alle drei Monate).

FR Lisez entièrement le guide d'utilisateur avant de commencer l'installation et le montage. SI vous avez des questions concernant les instructions ou les avertissements, veuillez contacter votre distributeur local pour une assistance.

⚠ **ATTENTION:** L'utilisation de produits plus lourds que les poids nominaux indiqués peut entraîner une instabilité causant des blessures potentielles.
- Les supports doivent être joints comme spécifié dans les instructions de montage. Une mauvaise installation peut entraîner des dommages ou de graves blessures aux personnes.
- Un équipement de sécurité et les outils appropriés doivent être utilisés. Ce produit devrait être installé uniquement par des professionnels.
- Ce produit est conçu pour être installé sur des murs avec poteaux en bois, des murs en béton massif ou murs en brique.
- Assurez-vous que la surface de soutien supporte en sécurité le poids combiné de l'équipement et de tous les matériaux et composantes associés.
- Utilisez les vis de montage fournies et NE SERREZ PAS TROP les vis de montage.
- Ce produit contient de petites pièces qui peuvent causer un étouffement si elles sont avalées. Eloignez ces pièces des enfants.
- Ce produit est prévu uniquement pour une utilisation à l'intérieur. L'utilisation de ce produit à l'extérieur peut entraîner une défaillance du produit ou des blessures aux personnes.

IMPORTANT: Avant l'installation, assurez-vous que vous avez reçu toutes les pièces selon la liste de vérification des composants. Si une pièce est manquante ou endommagée, téléphonez à votre distributeur local pour qu'il la remplace.

MAINTENANCE: À intervalles réguliers (au moins tous les trois mois) vérifiez que le support est d'utilisation sûre et fiable.

RU Перед началом установки и сборки прочитайте руководство по установке. Если у Вас возникли какие-либо вопросы относительно инструкций или предупреждений, свяжитесь с Вашим локальным распространителем для получения помощи.

⚠ **Внимание:** Использование продуктов, вес которых превышает указанный расчетный вес, может привести к неустойчивости и возможным травмам.
- Опоры должны быть установлены, как это показано в монтажных инструкциях. Неправильная установка может привести к получению серьезных травм.
- Необходимо использовать предохранительное устройство и специальные инструменты. Продукт должен устанавливаться только профессионалами.
- Продукт предназначен для установки на деревянные каркасные стены, твердые цементные стены или кирпичные стены.
- Убедитесь, что несущая поверхность выдержит вес всего установленного оборудования и комплектующих.
- Необходимо использовать монтажные винты, входящие в комплект поставки, и НЕ ПЕРЕТЯГИВАТЬ монтажные винты.
- Данный продукт содержит маленькие детали, которые представляют опасность удушения при проглатывании. Такие детали необходимо хранить в недоступном для детей месте.
- Данный продукт предназначен только для эксплуатации в помещениях. Использования данного продукта на улице может привести к поломке продукта и получению травм.

ВАЖНО: Перед установкой убедитесь, что Вы получили все детали в соответствии со списком комплектующих. Если не хватает каких-либо деталей или они поломаны, свяжитесь с Вашим местным распространителем по вопросу замены.

ТЕХНИЧЕСКОЕ ОБСЛУЖИВАНИЕ: Необходимо регулярно проверять (как минимум, раз в три месяца), чтобы кронштейн был зафиксирован, и его использование было безопасным.

ES Lea todo el manual de instrucciones antes de comenzar la instalación y ensamble de la unidad. Si tiene alguna inquietud con respecto a las instrucciones o advertencias, comuníquese con su distribuidor local.

⚠ **PRECAUCIÓN:** utilizar con productos de mayor peso al indicado en los límites de peso podría ocasionar inestabilidad y posibles heridas personales.
- Los soportes deben acoplarse tal como se indica en las instrucciones de ensamble. Una incorrecta instalación podría ocasionar daños y serias heridas personales.
- Utilice las herramientas y equipo de seguridad adecuados. Este producto solo debe ser instalado por profesionales.
- Este producto está diseñado para instalaciones en paredes de madera sólida, concreto sólido o bloques.
- Asegúrese de que la superficie de fijación sostenga de manera segura el peso total del equipo y todos sus componentes y hardware.
- Utilice los tornillos de ensamble suministrados y NO aplique demasiada tensión a los tornillos.
- Este producto contiene piezas pequeñas que representan un riesgo de asfixia. Mantenga estas piezas fuera del alcance de los niños.
- Este producto está diseñado para uso en interiores solamente. Utilizar este producto en exteriores podría ocasionar fallas y heridas personales.

IMPORTANTE: Asegúrese de que haya recibido todas las piezas según la lista de verificación de componentes para la instalación. Si falta alguna de las partes, o está dañada, comuníquese con su distribuidor.

MANTENIMIENTO: Compruebe periódicamente que el soporte esté asegurado y listo para usar (al menos cada tres meses).

PT Leia todo o manual de instruções antes de iniciar a instalação e montagem. Se você tiver alguma dúvida sobre quaisquer uma das instruções ou avisos, por favor, entre em contato com o seu distribuidor local para assistência.


⚠ **ATENÇÃO:** O uso com produtos mais pesados do que os pesos indicados pode resultar em instabilidade, causando possíveis danos.
- Os suportes devem ser anexados como especificado nas instruções de montagem. A instalação incorreta pode causar danos ou sérias lesões pessoais.
- Equipamentos de segurança e ferramentas adequadas devem ser utilizadas. Este produto só deve ser instalado por profissionais.
- Este produto é projetado para ser instalado em pilares verticais de paredes de madeira, paredes de concreto sólido ou de tijolos.
- Certifique-se que a superfície de suporte suportará com segurança o peso combinado do equipamento e todas as ferragens e componentes anexados.
- Use os parafusos de montagem fornecidos e NÃO APERTE EXCESSIVAMENTE os mesmos.
- Este produto contém pequenas peças que podem causar asfixia se ingeridas. Mantenha esses itens longe do alcance de crianças.
- Este produto destina-se somente para uso interno. Usá-lo em ambiente externo pode causar falhas no produto e lesões pessoais.

IMPORTANTE: Assegure-se que você recebeu todas as peças, de acordo com a lista de componentes, antes da instalação. Se alguma peça estiver faltando ou é defeituosa, contate o seu distribuidor local para substituição.

MANUTENÇÃO: Certifique-se que o suporte seja seguro e protegido para o uso em intervalos regulares (pelo menos a cada três meses).



Mount and Accessories




A (x1) VESA Mount
B (x1) Lower Bracket
C (x1) Monitor Bracket
D (x1) Keyboard Tray
E (x1) Keyboard Arm – Left
F (x1) Keyboard Arm – Right
G (x1) Mouse Pad
H (x2) Height Adjustment Hand Knobs
I (x2) Spacers
J (x2) Keyboard Level Hand Knobs
K (x2) Bolts
L (x4) Bolts
4mm (x1) M Hex Wrench

Mounting Hardware



M4x18 (x4) M-A
M5x18 (x4) M-B
D5 (x4) M-C
M-D (x4)

Wall Mounting Hardware




W-A (x2)
W-B (x2)
W-C (x2)

Check carefully to make sure there are no missing or defective parts. Some hardware provided may not be used. Use the correct mounting hardware suitable for your installation.

CHOKING HAZARD. Package includes small parts.
Not for children under 3 years. Adult supervision is required.

Missing Parts? Call us at (855) 925-5668 and we will ship replacement parts free of charge.

DIMENSIONS & WEIGHT CAPACITY



Rated weight capacity is 22lbs.


Caution:

Ensure all mounting surfaces are capable of holding the weight of your mount.
DO NOT EXCEED MAXIMUM LISTED WEIGHT CAPACITY.
SERIOUS INJURY OR PROPERTY DAMAGE MAY OCCUR!

Step 1

Prepare the VESA Mount


• Remove the bolt on the top of the VESA Mount (#A) and slide the VESA Plate off the wall bracket.





Step 2

A. Wood Stud Mounting Option

• With a stud finder locate the studs and hold the wall bracket from the VESA Mount (#A) on the stud at the desired height. Using a bubble level to ensure straightness mark the center of the mounting holes as shown with a pencil.
• Use a 3/16” drill bit and drill on the marked locations to a depth of 2.2”
• Secure the bracket to the wall using Lag Screws (#W-A) and Washers (#W-C). Tighten the screws until secure.










B. Concrete/Brick Mounting Option

• Using a bubble level to ensure straightness hold the wall bracket from the VESA Mount (#A) to the desired location on the wall and mark the center of the mounting holes with a pencil.
• Use a 3/8” drill bit and drill on the marked locations to a depth of 2.4”. Clear any dust and debris from the holes and insert the Concrete Anchors (#W-B). Note: Do not drill mounting holes into mortar (such as between bricks or stones) only drill and install into solid stone or concrete surfaces.
• Secure the bracket to the wall using Lag Screws (#W-A) and Washers (#W-C). Tighten the screws until secure.











Step 3
Assemble the Mount Body


• Attach the Left and Right Keyboard Arms (#E, #F) to the bottom of the Lower Bracket (#B) in the orientation shown using the Bolts (#K) and Keyboard Level Hand Knobs (#J).
• Attach the Lower Bracket (#B) and Monitor Bracket (#C) together by placing the Spacers (#I) over the protruding pegs on the Monitor Bracket, then use the Height Adjustment Hand Knobs (#H) to secure the parts together as shown in the diagram.






Step 4
Attach the Monitor

• Select the appropriate size mounting bolt (Select one size #M-A, or #M-B) and washer (#M-C) for your display's mounting holes and verify the length of the VESA bolt is not too long. If you are unsure of the correct bolt size for your display refer to your display's user manual or contact the display's manufacturer for sizing information.
• Attach the monitor using the selected bolts through the VESA Plate, then through the Spacers (#M-D) and the Monitor Bracket (#C) and finally into the monitor. Tighten the bolts until the screen is secure, do not over tighten.



Step 5
Mount the Bracket Assembly


• Slide the VESA Plate back onto the other half of the VESA Mount (#A) and reinstall the bolt removed in step 1 to secure the assembly in place.




Step 6
Attach the Keyboard Tray

• Attach the Keyboard Tray (#D) to the top of the Keyboard Arms using the Bolts (#L).

Note: The Keyboard Tray may be installed in either set of available holes depending on the desired position of the tray. If the bolt holes do not align between the tray and arms, then the keyboard arms may have been installed on the wrong sides.




or




Step 7
Final Adjustments

• Place the Mouse pad (#G) on the keyboard tray.
• Adjust the level of the keyboard tray as needed using the Keyboard Level Hand Knobs (#K) on either side of the mount. To adjust, loosen the knobs slightly then adjust the tray to the desired angle and tighten the hand knobs back down.
• Adjust the height of the entire keyboard tray by loosening the Height Adjustment Hand Knobs (#H) on the back of the mount, then raise or lower the keyboard tray and tighten the hand knobs back down.




PC Mount and Hardware



Step 8

Separating the PC Mount


• To install the PC Mount (#A) begin by removing the nuts on the underside of the mount and separate the two halves, you will reattach these later. Note: Be careful not to drop the 2 washers when separating the halves of the mount, they will need to be placed back in their original location when reattaching.



Step 9


A. Concrete/brick Installation Option

• Hold the shorter side of the PC Mount to the wall in the location it will be mounted and mark the location for the 3 holes on the wall with a pencil.
• Drill holes in the marked locations using a 3/8” drill bit (10mm) to a depth of 2.4” (60mm). Clear dust or debris from the holes and insert the Concrete Anchors W-B fully until they are flush with the wall.
• Insert the T-shaped ends of the two PC Straps I through the horizontal slots on the upper left and right of the PC Mount. See the image below for reference, for easier adjustments ensure that the latch side of the straps faces the wall when held straight up against the wall from the PC mount. The straps should be inserted through the slots so that when they are pulled back the T-shaped end of the strap prevents it from coming back through the slot.
• Install the 3 lag screws through the bolt holes into the concrete anchors. Tighten until secure.



B.Wall Stud Installation Option


• Use a stud finder to locate the center of the stud, then hold the shorter side of the PC Mount to the wall in the location it will be mounted and mark the location for the 2 center holes on the wall with a pencil.
• Drill holes in the marked locations using a 3/16” drill bit (4.5mm) to a depth of 2.2” (55mm).
• Insert the T-shaped ends of the two PC Straps I through the horizontal slots on the upper left and right of the PC Mount. See the image above for reference, for easier adjustments ensure that the latch side of the straps faces the wall when held straight up against the wall from the PC mount. The straps should be inserted through the slots so that when they are pulled back the T-shaped end of the strap prevents it from coming back through the slot.
• Install the 2 lag screws through the bolt holes into the pilot holes. Tighten until secure.



Step 10

Adjusting the Width of the PC Mount


• Re-attach the two halves of the PC Mount, ensure the washers are still present on the threaded bolt between the two halves before continuing, and secure them together using the Hand Knobs (#E) in place of the previously removed nuts.
• Pass the end of the PC Straps through the two short horizontal slots on the newly attached half of the PC Mount. Thread the straps through the slide buckle on the strap and leaving the straps loose enough to insert the PC. You do not need to pass the strap through the next buckle until the next step.



Step 11

Attaching the PC Mount to the PC

• Insert the PC into the PC Mount and adjust the width of the PC mount to fit your device. To do so loosen the hand knobs on the underside of the mount and push or pull the halves to fit snugly against the sides of your PC.
• Tighten the straps by pulling all the slack through the first slide buckle (shown in magnified bubble 1), then insert the ends of the strap through the cam buckle (shown in magnified bubble 2) then push the flap of the buckle down to latch the straps in place.



Visit us at **www.mount-it.com** for product registration and warranty information.

Our US based customer service team is standing by to answer any questions you have about your Mount-It! product.

Available by phone **Monday - Friday from 8:00am to 4:00pm** PST.

Chat live with an agent on our website!



support@mount-it.com



(855) 925-5668



www.mount-it.com